United States Army
Fort Monmouth, New Jersey

Underground Storage Tank Closure and Site Investigation Report

Building 2700
Myers Center

NJDEP UST Registration No. 81515-35 thru 39
Spill Case No. 98-03-26-1023-22

June 1998

UNDERGROUND STORAGE TANK
CLOSURE AND SITE INVESTIGATION REPORT

BUILDING 2700

MYERS CENTER
NJDEP UST REGISTRATION NO. 81515-35 THRU 39
SPILL CASE NO. 98-03-26-1023-22

JUNE 1998

PROJECT NO.: 93-0945
CONTRACT NO.: DAAB08-97-C-0027

PREPARED FOR:

UNITED STATES ARMY, FORT MONMOUTH, NEW JERSEY
DIRECTORATE OF PUBLIC WORKS
BUILDING 167
FORT MONMOUTH, NJ 07703

PREPARED BY:

ENVIRONMENTAL CONTROL TECHNOLOGIES, INCORPORATED
1100 DEVON COURT
MAHWAH, NJ 07430

TABLE OF CONTENTS

EXECUTIVE SUMMARY iv

1.0 UNDERGROUND STORAGE TANK DECOMMISSIONING ACTIVITIES 1

1.1 OVERVIEW 1
1.2 SITE DESCRIPTION 2

1.2.1 Geological/Hydrogeological Setting 2

1.3 HEALTH AND SAFETY 3
1.4 REMOVAL OF UNDERGROUND STORAGE TANK 4

1.4.1 General Procedures 4
1.4.2 Underground Storage Tank Excavation and Cleaning 4

1.5 UNDERGROUND STORAGE TANK TRANSPORTATION AND DISPOSAL 5
1.6 MANAGEMENT OF EXCAVATED SOILS 5

2.0 SITE INVESTIGATION ACTIVITIES 6

2.1 OVERVIEW 6
2.2 FIELD SCREENING/MONITORING 6
2.3 SOIL SAMPLING 6
2.4 GROUNDWATER SAMPLING 7

3.0 CONCLUSIONS AND RECOMMENDATIONS 8

3.1 SOIL SAMPLING RESULTS 8
3.2 GROUNDWATER SAMPLING RESULTS 8
3.3 CONCLUSIONS AND RECOMMENDATIONS 9

TABLE OF CONTENTS (CONTINUED)

TABLES

Table 1	Summary of Post-Excavation Sampling Activities
Table 2	Post-Excavation Soil Sampling Results
Table 3	Groundwater Sampling Results

FIGURES

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Cross Sectional View
Figure 4	Soil Sampling Location Map
Figure 5	Groundwater Sampling Location Map

APPENDICES

Appendix A	Figures
Appendix B	Site Assessment Summary/NJDEP Standard Reporting Form
Appendix C	Waste Manifest
Appendix D	UST Disposal Certificate
Appendix E	Contaminated Soil Weigh Tickets
Appendix F	Soil Analytical Data Package
Appendix G	Groundwater Analytical Data Package

EXECUTIVE SUMMARY

UST Closure

Between March 23, 1998, and March 26, 1998, five steel underground storage tanks (USTs) were closed at U.S. Army Fort Monmouth, Fort Monmouth, New Jersey, by removal in accordance with the Technical Regulations for the New Jersey Department of Environmental Protection (NJDEP). The USTs, NJDEP Registration Nos. 081515-35 thru 39, were located immediately behind Building 2700, in the Myers Center area of U.S. Army, Fort Monmouth. UST Nos. 081515-35 thru 39 were all 25,000-gallon No. 6 heating oil USTs. The UST fill ports were located directly above the tanks. The tank closures were performed by Environmental Control Technologies, Inc. (ECTI).

Site Assessment - Soil

The site assessment was performed by ECTI in accordance with the NJDEP *Technical Requirements for Site Remediation* (N.J.A.C. 7:26E) and the NJDEP *Field Sampling Procedures Manual.* The site assessment activities conducted by ECTI were overseen by U.S. Army personnel. Soils surrounding the tank were screened visually and with air monitoring equipment for evidence of contamination. Following removal, each UST was inspected for corrosion holes. Some holes were noted in some of the USTs and product piping. Evidence of potentially contaminated soils were observed surrounding each of the former tanks. Most of that contamination appeared to be the result of historic overfilling of the tanks.

Between March 23, 1998, and March 26, 1998, approximately 500 cubic yards of potentially contaminated soil were removed from the excavation.

Following removal of the USTs, it was determined that the bottom of the tanks and the concrete hold-down pad beneath the fuel oil tanks were under approximately four feet of ground water. As a result of the presence of ground water above the bottom of the tanks and the concrete pad, six soil samples were collected around the perimeter of the excavation, approximately six inches above the water line, in accordance with N.J.A.C. 7:26E-3.9(b)1. These soil samples were designated 2700-1 though 2700-6. The samples were collected through a six inch interval, starting at a depth of approximately nine feet below ground surface (BGS). Groundwater was present at approximately 10 feet BGS. Soil in the area of the product piping between the tank excavation and the boiler room was sampled for piping residues. A total of three soil samples were collected and analyzed, these samples were numbered PS-1 though PS-3. All samples were analyzed for total petroleum hydrocarbons (TPHC) by the U.S. Army, Fort Monmouth Environmental Laboratory (NJDEP Certification No. 13461).

Findings – Soil

All post-excavation soil samples collected from the perimeter of the UST excavation contained TPHC concentrations below the NJDEP residential direct contact total organic contaminants soil cleanup criteria of 10,000 milligrams per kilogram (mg/Kg) (N.J.A.C. 7:26D and revisions dated February 3, 1994). Samples 2700-1 though 2700-6 contained levels of TPHC ranging in concentration from ND to 264.00 mg/Kg. Samples PS-1 though PS-3 contained levels of TPHC ranging in concentration from ND to 412.09 mg/Kg. No base/neutral analyses were conducted on any of the soil samples.

Site Restoration

Following receipt of all post-excavation soil sampling results, the excavation was backfilled to grade with a combination of clean crushed stone, uncontaminated excavated soil, and certified clean fill. The excavation site was then restored to its original condition.'

Site Assessment Quality Assurance

The sampling and laboratory analysis conducted during the site assessment were performed in accordance with Section 7:26E-2.1 of the *Technical Requirements for Site Remediation.*

Site Assessment .Ground Water

In response to the observation of potentially contaminated soil and the potential of groundwater contamination, two (2) groundwater samples were collected at Building 2700. On November 13, 1998, and December 18, 1998, Building 2700 was sampled for volatile organic compounds calibrated for xylene plus 15 tentatively identified compounds (VOC's), and semivolatile organic compounds plus 15 tentatively identified compounds (SVOC's). All groundwater analytical results were either below the detection limit or in compliance with the New Jersey Ground Water Quality Criteria (GWQC).

No further action is proposed in regard to the closure and site assessment of UST No. 81515-35 thru 39 at Building 2700.

1.0 UNDERGROUND STORAGE TANK DECOMMISSIONING ACTIVITIES

1.1 OVERVIEW

Five underground storage tanks (USTs) were closed at Building 2700, U.S. Army Fort Monmouth, Fort Monmouth, New Jersey, between March 23, 1998, and March 26, 1998. The USTs, NJDEP Registration Nos. 081515-35 thru 39, were located immediately behind Building 2700, off Pearl Harbor Avenue off the Main Post area of U.S. Army, Fort Monmouth. Refer to site location map on Figure 1. This report presents the results of the DPW's implementation of a UST Decommissioning/Closure Plan. The USTs were each steel 25,000-gallon tanks containing No. 6 heating oil.

Decommissioning activities for UST Nos. 081515-35 thru 39 complied with all applicable Federal, State and Local laws and ordinances in effect at the date of decommissioning. These laws included but were not limited to: N.J.A.C. 7:14B-1 et seq., N.J.A.C. 5:23-1 et seq., and Occupational Safety and Health Administration (OSHA) 1910.146 & 1910.120. All permits were posted onsite for inspection. Environmental Control Technologies, Incorporated (ECTI), the contractor that conducted the decommissioning activities, is registered and certified by the NJDEP for performing UST closure activities (Certification No. US00617).

Based on an inspection of the USTs, visual evaluation and field screening of subsurface soils, and analytical results of collected soil samples, the DPW has concluded that an historical discharge was associated with the one or more of the USTs and associated piping. On March 26, 1998, a spill was reported to the NJDEP "Hotline" for UST No. 081515-35 and was assigned Spill Case No. 98-03-26-1023-22. This spill case number was also assigned to Building 2700.

This UST Closure and Site Investigation Report has been prepared by Environmental Control Technologies, Inc. The applicable NJDEP-BUST regulations at the date of closure were the *Requirements for Underground Storage Tank Systems* (N.J.A.C. 7: 14B-1 et seq. Effective December 21, 1987 with all revisions though November 17, 1997).

This report was prepared using information required at the time of closure. Section 1 of this UST Closure and Site Investigation Report provides a summary of the UST decommissioning activities. Section 2 of this report describes the site investigation activities. Conclusions and recommendations, including the results of the soil sampling investigation, are presented in the final section of this report.

1.2 SITE DESCRIPTION

Building 2700 is located off of the Main Post area of Fort Monmouth, as shown on Figure 1. USTs No. 081515-35 thru 39 were located on the rear (east) of Building 2700 and appurtenant piping ran approximately 30 feet east from an enclosed piping trench perpendicular to Building 2700. The fill port area was located directly above each of the tanks. A site map is provided on Figure 2.

1.2.1 Geological/Hydrogeological Setting

The following is a description of the geological/hydrogeological setting of the area surrounding Building 2700. Included is a description of the regional geology of the area surrounding Fort Monmouth as well as descriptions of the local geology and hydrogeology of the area of activity.

Regional Geology

Monmouth County lies within the New Jersey Section of the Atlantic Coastal Plain physiographic province. The Main Post, Charles Wood, and the Evans areas are located in what may be referred to as the Outer Coastal Plain subprovince, or the Outer Lowlands.

In general, New Jersey Coastal Plain formations consist of a seaward-dipping wedge of unconsolidated deposits of clay, silt, and gravel. These formations typically strike northeast-southwest with a dip ranging from 10 to 60 feet per mile and were deposited on Precambrian and lower Paleozoic rocks (Zapecza, 1989). These sediments, predominantly derived from deltaic, shallow marine, and continental shelf environments, date from Cretaceous through the Quaternary Periods. The mineralogy ranges from quartz to glauconite.

The formations record several major transgressive/regressive cycles and contain units which are generally thicker to the southeast and reflect a deeper water environment. More than 20 regional geologic units are present within the sediments of the Coastal Plain. Regressive, upward coarsening deposits are usually aquifers (e.g., Englishtown and Kirkwood Formations, and the Cohansey Sand) while the transgressive deposits act as confining units (e.g., the Merchantville, Marshalltown, and Navesink Formations). The individual thicknesses for these units vary greatly (i.e., from several feet to several hundred feet). The Coastal Plain deposits thicken to the southeast from the Fall Line to greater than 6,500 feet in Cape May County (Brown and Zapecza, 1990).

Local Geology

Based on the regional geologic map (Jablonski, 1968), the Cretaceous age Red Bank and Tinton Sands outcrop at the Main Post area. The Red Bank sand conformably overlies the Navesink Formation and dips to the southeast at 35 feet per mile. The upper member (Shrewsbury) of the Red Bank sand is a yellowish-gray to reddish brown clayey, medium-to-coarse-grained sand that contains abundant rock fragments, minor mica and glauconite (Jablonski). The lower member (Sandy Hook) is a dark gray to black, medium-to-fine

grained sand with abundant clay, mica, and glauconite.

The Tinton sand conformably overlies the Red Bank Sand and ranges from a clayey medium to very coarse grained feldspathic quartz and glauconite sand to a glauconitic coarse sand. The color varies from dark yellowish orange or light brown to moderate brown and from light olive to grayish olive. Glauconite may constitute 60 to 80 percent of the sand fraction in the upper part of the unit (Minard, 1969). The upper part of the Tinton is often highly oxidized and iron oxide encrusted (Minard).

Hydrogeology

The water table aquifer in the Main Post area is identified as part of the "composite confining units," or minor aquifers. The minor aquifers include the Navesink formation, Red Bank Sand, Tinton Sand, Hornerstown Sand, Vincentown Formation, Manasquan Formation, Shark River Formation, Piney Point Formation, and the basal clay of the Kirkwood Formation.

Based on records of wells drilled in the Main Post area, water is typically encountered at depths of 2 to 9 feet below ground surface (bgs). According to Jablonski, wells drilled in the Red Bank and Tinton Sands may produce 2 to 25 gallons per minute (gpm). Some well owners have reported acidic water that requires treatment to remove iron.

Due to the proximity of the Atlantic Ocean to Fort Monmouth, shallow groundwater may be tidally influenced and may flow toward creeks and brooks as the tide goes out, and away from creeks and brooks as the tide comes in. However, an abundance of clay lenses and sand deposits were noted in borings installed throughout Fort Monmouth. Therefore, the direction of shallow groundwater should be determined on a case-by-case basis.

1.3 HEALTH AND SAFETY

Before, during, and after all decommissioning activities, hazards at the work site which may have posed a threat to the Health and Safety of all personnel who were involved with, or were affected by, the decommissioning of the UST system were minimized. All areas which posed, or may have been suspected to pose a vapor hazard were monitored by a qualified individual utilizing a photoionization detector (PID). The individual ascertained if the area was properly vented to render the area safe, as defined by OSHA.

1.4 REMOVAL OF UNDERGROUND STORAGE TANK

1.4.1 General Procedures

- All underground obstructions (utilities, etc.) were marked out at the request of ECTI prior to excavation activities.
- All activities were carried out with the greatest regard to safety and health and the safeguarding of the environment.
- All excavated soils were visually examined and screened with a PID for evidence of contamination. Potentially contaminated soils were identified and logged during closure activities.
- Surface materials (i.e., asphalt, concrete, etc.) were excavated and staged separately from all soil and recycled in accordance with all applicable regulations and laws.
- A Sub-Surface Evaluator was present during all Site Assessment activities.

1.4.2 Underground Storage Tank Excavation and Cleaning

Prior to UST decommissioning activities, surficial soil was removed to expose the UST and associated piping. All free product present in the piping was drained into the UST, and the UST was purged to remove vapors prior to cutting and removal of the piping. After removal of the associated piping, a manway was opened to allow for proper cleaning. The UST was completely emptied of all liquids prior to removal from the ground. Approximately 15,076 gallons of No. 2 heating oil was transported offsite for reuse by Fuel Tank Maintenance Service, Inc. An additional 1,500 gallons of oil contaminated water was transported by Fuel Tank Maintenance Service, Inc. to New York Oil Recovery, Inc., a NYDEC-approved petroleum recycling and disposal company located in Brooklyn, New York. Refer to Appendix C for copies of waste manifests.

The USTs were cleaned prior to removal from the excavation, in accordance with the NJDEP-BUST regulations. After the USTs were removed from the excavation, they were staged on polyethylene sheeting, examined for holes, and cut up on site for disposal. Some holes were observed in some tanks during the inspection by the Sub-Surface Evaluator. Soils surrounding the USTs above the ground water line were screened visually and with a PID for evidence of contamination. Potentially contaminated soils were observed within the excavation.

1.5 UNDERGROUND STORAGE TANK TRANSPORTATION AND DISPOSAL

The tanks were cut up on site and transported by Neptune Scrap Metal Company to their yard for disposal in compliance with all applicable regulations and laws. See Appendix D for UST Disposal Certificates.

The removal contractor labeled the UST prior to transport with the following information:

- Site of origin
- Contact person
- NJDEP UST Facility ID number
- Name of transporter/contact person
- Destination site/contact person

1.6 MANAGEMENT OF EXCAVATED SOILS

Based on weight tickets from the weigh station at Fort Monmouth, approximately 500 cubic yards of potentially contaminated soils were removed from the excavation and staged behind Building 490, at the direction of U.S. Army personnel. These potentially contaminated soils were stockpiled on and covered with polyethylene sheets. Soils that did not exhibit signs of contamination were used as backfill following removal of the UST.

2.0 SITE INVESTIGATION ACTIVITIES

2.1 OVERVIEW

The Site Investigation was managed U.S. Army DPW personnel and carried out by ECTI. All TPHC analyses were performed and reported by U.S. Army Fort Monmouth Environmental Laboratory, Inc., an NJDEP-certified testing laboratory. All sampling was performed under the direct supervision of an NJDEP Certified Sub-Surface Evaluator according to the methods described in the NJDEP Field Sampling Procedures Manual (1992). Sampling frequency and parameters analyzed complied with the NJDEP Technical Regulations (N.J.A.C. 7:26E), which was the applicable regulation at the time of the closures.

The following Parties participated in Closure and Site Investigation Activities.

- Closure Contractor: Environmental Control Technologies, Inc. (ECTI)
  Closure Supervisor: Harry H. Elias, P.E.
  Phone Number: (201) 236-8448
  NJDEP Certification No.: 10510

- Subsurface Evaluator: Dinkerrai M. Desai
  Employer: U.S. Army, Fort Monmouth
  Phone Number: (908) 532-1475
  NJDEP Certification No.: E0002266

- Analytical Laboratory: U.S. Army Fort Monmouth Environmental Laboratory
  Contact Person: Brian K. McKee
  Phone Number: (908) 532-4359
  NJDEP Company Certification No.: 13461

2.2 FIELD SCREENING/MONITORING

Field screening was performed by an NJDEP Certified Sub-Surface Evaluator using a PID and visual observations to identify potentially contaminated material. Soils were removed from the UST excavation area until no evidence of contamination remained.

2.3 SOIL SAMPLING

Due to field screening of subsurface soils, approximately 500 cubic yards of potentially contaminated soil were removed from the excavation between March 23, 1998 and March 26,1998.

Between March 23 and March 26, 1998, following removal of all soil from around and beneath the USTs, all five USTs were removed and shipped off site for disposal. The base of the USTs, as well as the concrete hold-down pad beneath the fuel oil tanks, were under approximately four feet of ground water. Following removal of the tanks, six soil samples

were collected from the soil around the perimeter of the excavation, in accordance with N.J.A.C. 7:26E-3.9(b) 1. These soil samples were collected approximately six inches above ground water and were designated 2700-1 through 2700-6. The samples were collected at a depth of approximately nine feet below ground surface (BGS). Groundwater was present at approximately 10 feet BGS. Product piping soil samples were collected from the piping trench and designated PS-1 though PS-3. All samples were analyzed for total petroleum hydrocarbons (TPHC) by the U.S. Army, Fort Monmouth Environmental Laboratory (NJDEP Certification No. 13461).

The site assessment was performed by ECTI personnel in accordance with the NJDEP Technical Requirements and the NJDEP Field Sampling Procedures Manual. A summary of sampling activities including parameters analyzed is provided in Table 1. Following soil sampling activities, the TPHC samples were chilled and delivered to U.S. Army Fort Monmouth Environmental Laboratory located in Fort Monmouth, New Jersey, for analysis.

2.4 GROUNDWATER SAMPLING

On November 13, 1998, and December 18, 1998, Building 2700 was sampled for volatile organic compounds calibrated for xylene plus 15 tentatively identified compounds (VOC's), and semivolatile organic compounds plus 15 tentatively identified compounds (SVOC's). Sampling and analysis were performed in accordance with the NJDEP *Field Sampling Procedures Manual* and the *Technical Requirements For Site Remediation.* Refer to Appendix G for the field sampling documentation.

3.0 CONCLUSIONS AND RECOMMENDATIONS

3.1 SOIL SAMPLING RESULTS

To evaluate soil conditions following removal of the USTs and their associated piping, post-excavation soil samples were collected from a total of 9 locations. The first six samples (numbered 2700-1 thru 2700-6) were collected around the perimeter of the excavation on March 27, 1998. The product piping samples (numbered PS-1 thru PS-3) were collected along the piping trench on March 17, 1998. No excessive TPHC results were found among any of these samples. The post-excavation sampling results were compared to the NJDEP residential direct contact total organic contaminants soil cleanup criteria of 10,000 mg/Kg (N.J.A.C. 7:26D and revisions dated February 3, 1994). A summary of the analytical results and comparison to the NJDEP soil cleanup criteria is provided in Table 2. The analytical data package is provided in Appendix F.

All post-excavation soil samples collected from the perimeter of the UST excavation, as well as product piping samples associated with the former USTs at Building 2700, contained TPHC concentrations below the NJDEP residential direct contact total organic contaminants soil cleanup criteria of 10,000 milligrams per kilogram (mg/Kg) (N.J.A.C. 7:26D and revisions dated February 3, 1994). Among the 2700 series of soil samples, TPHC concentrations ranged from ND (samples 2700-1, 2, 4, 5, 6) to 264.00 mg/Kg (sample 2700-3). Among the PS series of soil samples, TPHC concentrations ranged from ND (sample PS-3) to 412.09 mg/Kg (sample PS-2). According to the NJDEP Technical Regulations (N.J.A.C. 7:26E2.1(d) and Table 2-1), samples collected for TPHC analyses from excavations which contained USTs holding No. 6 heating oil must analyze one sample in four which contain greater than 100 mg/Kg TPHC for polynuclear aromatic hydrocarbons (PAHs). However, for this site no PAH analyses were conducted on any of the soil samples.

3.2 GROUNDWATER SAMPLING RESULTS

The sample collected from Building 2700 on November 13, 1998, contained cis-1,2-dichloroethene at 1.41ug/l. No other compounds were detected. Cis-1,2-dichloroethene was also detected in the field dup at a concentration of 1.56 ug/l. No other compounds were detected in the field dup. Methylene chloride was detected in the field blank at a concentration of 2.15 ug/l. No other compounds were detected in the field blank. The methylene chloride concentration exceeds the GWQS on account of laboratory contamination.

No compounds were detected in the sample collected from Building 2700 on December 18, 1998. Bis(2-ethylhexyl)phthalate was detected in the field blank at a concentration of 27.53 ug/l. No other compounds were detected in the field blank.

A summary of the analytical results and comparison to the NJDEP groundwater cleanup criteria is provided in Table 3. The analytical data package is provided in Appendix G. The full data package, including quality control, is on file at U.S. Fort Monmouth, DPW.

Groundwater samples collected on November 13, 1998, and December 18,1998, were either below the detection limit or in compliance with the New Jersey Ground Water Quality Criteria (GWQC).

3.3 CONCLUSIONS AND RECOMMENDATIONS

The analytical results for all post-excavation soil samples collected from the UST closure excavation at Building 2700 were below the NJDEP soil cleanup criteria for total organic contaminants.

Based on the post-excavation sampling results, soil with TPHC concentrations exceeding the NJDEP soil cleanup criteria for total organic contaminants of 10,000 mg/kg, do not exist in the former location of the UST or associated piping.

Based on the analytical results of the groundwater samples collected at Building 2700 on November 13, 1998, and December 18, 1998, groundwater quality at Building 2700 was either below the detection limit or in compliance with the New Jersey Ground Water Quality Criteria (GWQC).

No further action is proposed in regard to the closure and site assessment of UST No. 81515-35 thru 39 at Building 2700.

TABLES

TABLE 1

SUMMARY OF POST-EXCAVATION SAMPLING ACTIVITIES
BUILDING 2700, MAIN POST
FORT MONMOUTH, NEW JERSEY

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	NJDEP Method
2700-1	3/27/97	3/27/97	Soil	Post-Excavation	TPHC	418.1
2700-2	3/27/97	3/27/97	Soil	Post-Excavation	TPHC	418.1
2700-3	3/27/97	3/27/97	Soil	Post-Excavation	TPHC	418.1
2700-4	3/27/97	3/27/97	Soil	Post-Excavation	TPHC	418.1
2700-5	3/27/97	3/27/97	Soil	Post-Excavation	TPHC	418.1
2700-6	3/27/97	3/27/97	Soil	Post-Excavation	TPHC	418.1
PS-1	3/17/97	3/18/98	Soil	Post-Excavation	TPHC	418.1
PS-2	3/17/97	3/18/98	Soil	Post-Excavation	TPHC	418.1
PS-3	3/17/97	3/18/98	Soil	Post-Excavation	TPHC	418.1

Note:
* TPHC Total Petroleum Hydrocarbons

TABLE 1

SUMMARY OF SAMPLING ACTIVITIES
BUILDING 2700, MAIN POST
FORT MONMOUTH, NEW JERSEY

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	Sampling Method**
4052.03	11/13/98	11/17/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4149.01	12/18/98	12/28/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP

Note:
*VOCs: Volatile Organic Compounds plus 15 tentatively identified compounds
*SVOCs: Semivolatile organic compounds plus 15 tentatively identified compounds
**PPNDP: Passively Placed Narrow Diameter Point

POST-EXCAVATION SOIL SAMPLING RESULTS
BUILDING 2700
FORT MONMOUTH, NEW JERSEY

Sample ID/Depth	Sample Laboratory ID	Sample Date	Analysis Date	Compound Name	Sample Quantitation Limit (mg/kg)	Compound of Concern	Result (mg/kg)	NJDEP Soil Cleanup Criteria * (mg/kg)	Exceeds Cleanup Criteria
2700-1 / 9'-0" to 9'-6"	3438.01	3/27/98	3/28/98	Total Solid	--	--	83.06 %	N/A	--
				TPHC	90	yes	ND	10,000	--
2700-2 / 9'-0" to 9'-6"	3438.02	3/27/98	3/28/98	Total Solid	--	--	83.04%	N/A	--
				TPHC	93	yes	ND	10,000	--
2700-3 / 9'-0" to 9'-6"	3438.03	3/27/98	3/28/98	Total Solid	--	--	85.21 %	N/A	--
				TPHC	89	yes	264.00	10,000	--
2700-4 / 9'-0" to 9'-6"	3438.04	3/27/98	3/28/98	Total Solid	--	--	82.37 %	N/A	--
				TPHC	95	yes	ND	10,000	--
2700-5 / 9'-0" to 9'-6"	3438.05	3/27/98	3/28/98	Total Solid	--	--	78.18 %	N/A	--
				TPHC	99	yes	ND	10,000	--
2700-6 / 9'-0" to 9'-6"	3438.06	3/27/98	3/28/98	Total Solid	--	--	85.05 %	N/A	--
				TPHC	91	yes	ND	10,000	--
PS-1 / 1'-6" to 2'-0"	8414.01	3/17/98	3/19/98	Total Solid	--	--	81.54 %	N/A	--
				TPHC	184	yes	405.20	10,000	--
PS-2 / 1'6" to 2'0"	8414.02	3/17/98	3/19/98	Total Solid	--	--	84.86 %	N/A	--
				TPHC	179	yes	412.09	10,000	--
PS-3 / 1'6" to 2'0"	8414.03	3/17/98	3/19/98	Total Solid	--	--	87.99 %	N/A	--
				TPHC	175	yes	ND	10,000	--

Notes:

*	Cleanup criteria for total organics
N/A	Not applicable
--	Does not exceed criteria
TPHC	Total Petroleum Hydrocarbons
ND	None Detected

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	2.15	--	2	yes
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Note:
* Compound exceeds criteria due to laboratory contamination

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.03(Bldg 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	1.41	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.03(Bldg 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.06(DUP 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	1.56	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.06(DUP 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.03(Bldg 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.03(Bldg 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.06(DUP 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 11/13/98 Location: 2700 Lab Sample ID: 4052.06(DUP 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4148.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4148.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4148.13(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4148.13(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4149.01(Bldg 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4149.01(Bldg 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4148.13(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4148.13(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	27.53	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4149.01(Bldg 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER

Date Sampled: 12/18/98 Location: 2700 Lab Sample ID: 4149.01(Bldg 2700)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

APPENDIX A

FIGURES

FIGURE 1. SITE LOCATION MAP



ENVIRONMENTAL CONTROL TECHNOLOGIES, INC.
1110 Devon Court
Mahwah, New Jersey 07430

U.S. Army, Fort Monmouth
Fort Monmouth, New Jersey 07703
Building 2700
Site Plan

Scale: 1" = 150 Ft.	June 22, 1998	Figure 2

BUILDING 2700



ENVIRONMENTAL CONTROL TECHNOLOGIES, INC. 1110 Devon Court Mahwah, New Jersey 07430		
U.S. Army, Fort Monmouth Fort Monmouth, New Jersey 07703 Building 2700 Site Plan - Location of Soil Sampling Points		
Scale: 1" = 50 Ft	June 22, 1998	Figure 3

APPENDIX B

SITE ASSESSMENT SUMMARY/ NJDEP STANDARD REPORTING FORM

(12/97) **New Jersey Department of Environmental Protection**

Site Remediation Program

UST Site/Remedial Investigation Report Certification Form

A. Facility Name : U.S. Army Fort Monmouth New Jersey

Facility Street Address : Directorate of Public Works Building 173

Municipality: Oceanport County : Monmouth

Block: Lot(s): Telephone Number : 732-532-6224

B. Owner (RP)'s Name:

Street Address: City :

State: Zip: Telephone Number :

C. (Check as appropriate)

___ Site Investigation Report (SIR) $500 Fee

___ Remedial Investigation Report (RIR) $1000 Fee

_X_ NA – Federal Agreement

D. (Complete all that apply)

- Assigned Case Manager : Ian Curtis, Federal Case Manager
- UST Registration Number : 81515-35 thru 39 (7 digits)
- Incident Report Number 98 – 03 – 26 – 1023 – 22 (10 or 12 digits)

___ – ___ – ___ – _____ – ___

- Tank Closure Number : Federal Case Manager

E. Certification by the Subsurface Evaluator:

The attached report conforms to the specific reporting requirements of N.J.A.C. 7:26E .....Yes No

Name: Harry H. Elias Signature: UST Cert. No.:

Firm: Environmental Control Technologies Firm's UST Cert. Number:

Firm Address: 1110 Devon Ct. City: Mahwah

State: NJ Zip: 07430 Telephone Number : 201-236-8448

(NOTE: Certification numbers required only if work was conducted on USTs regulated per N.J.S.A. 58:10A-21 et seq.)

F. Certification by the Responsible Party(ies) of the Facility:

The following certification shall be signed [according to the requirements of N.J.A.C. 7:14B-1.7(b)]as follows:

1. For a Corporation by a person authorized by a resolution of the board of directors to sign the document. A copy of the resolution, certified as a true copy by the secretary of the corporation, shall be submitted along with the certification; or
2. For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
3. For a municipality, State, federal or other public agency by either a principal executive officer or ranking elected Official.

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attached documents, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate, or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

Name (Print or Type): James Ott Title: Directorate of Public Works

Signature: James Ott

Company Name: U.S. Army Fort Monmouth Date: 9/4/02

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF RESPONSIBLE PARTY SITE REMEDIATION
BUREAU OF APPLICABILITY AND COMPLIANCE
Registration and Billing Unit
CN 028, Trenton, N.J. 08625-0028
1-609-984-3156

UNDERGROUND STORAGE TANK FACILITY QUESTIONNAIRE

FOR STATE USE ONLY

Check In ☐ Yes ☐ No

STATUS Active ☐ Inactive ☐ COMCODE ☐☐☐☐

FACILITY UST # 81515

Completion of this Registration Questionnaire will satisfy the registration requirements of the Underground Storage of Hazardous Substances Act, N.J.S.A. 58:10A-21, and the Registration and Billing Regulations N.J.A.C. 7:14B-2.

[Check appropriate box(es)]

A. ☐ Is this a registration of a proposed or newly installed underground storage tank? (This form must be filed at least 30 days prior to operation)
B. ☐ Is this a registration of an existing underground storage tank not presently registered?
C. ☒ Is this a correction or amendment to an existing facility registration? UST # 81515
D. ☐ There have been no changes to the facility registration since last submittal. UST #_____ (Go to certification page for signatures)

If "C" is checked above, please check the appropriate type of change(s) below

☐ Facility Name and/or Address Change
☐ Owner Name and/or Address Change
☐ Facility Operator and/or Address Change
☐ Owner Contact Person Change
☐ Type of Product(s) Stored
☐ Spills, Leaks, Releases
☐ Tank(s) and/or Piping Changes
☒ Closure (Complete Question #13)
☐ Financial Responsibility Change
☐ Substantial Modification(s)
☐ Sale or Transfer (Complete Questions 4,5,6 & 13D)
☐ Other *(please specify)*

SECTION A - GENERAL FACILITY INFORMATION

1. Facility Name: U.S. Army - Fort Monmouth

2. Facility Location: Directorate of Public Works - Building 173 (NUMBER AND STREET)

Fort Monmouth (CITY OR MUNICIPALITY)

Monmouth (COUNTY) | NJ (STATE) | 07703 (ZIP CODE) | BLOCK | LOT

3. Facility Operator: James Ott, Director - DPW (PERSON OR TITLE) Contact Tele. No. 732 (Area Code) 532 3854 (Extension)

Operator Address (if different than #2): SAME (NUMBER AND STREET)

CITY OR MUNICIPALITY

STATE | ZIP CODE

4. Tank Owner: U.S. Army - Fort Monmouth

5. Tank Owner Address: Same as Item 2 (NUMBER AND STREET)

CITY OR MUNICIPALITY

STATE | ZIP CODE

6. Contact Person (Tank Owner): Charles Appleby Contact Tele. No. 732 (Area Code) 532 6224 (Extension)

7. EPA ID # ☐☐☐☐☐☐☐☐☐☐☐☐

8. Total number of regulated underground storage tanks at facility 0005 *(Complete Section B for each tank)*

9. Total regulated underground storage tank capacity at facility (gallons) | 1 2 5 0 0 0 |

10. Facility Type: A ☐ State; B ☐ Commercial/ Industrial; C ☒ County/Municipal; D ☐ Federal; E ☐ Charitable / Public School; F ☐ Residence; G ☐ Other; H ☐ Farm (as defined in N.J.S.A. 54:4-23.1 et seq.)

11. Is a copy of the facility site plan submitted with this registration pursuant to N.J.A.C. 7:14B-2? ☐ YES ☒ NO

SECTION B - SPECIFIC TANK INFORMATION

ALL underground tanks, including those taken out of operation (UNLESS THE TANK WAS REMOVED FROM THE GROUND PRIOR TO 9/3/86) must be registered. Report all tank/piping status changes unless previously submitted.

	TANK NO. 35	TANK NO. 36	TANK NO. 37	TANK NO. 38	TANK NO. 39
1. Tank Identification Number					
2. CAS Number (hazardous substances only)					
3. Date Tank Installed (Month/Day/Year)	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year
4. Tank Size (gallons)	2 5 0 0 0	2 5 0 0 0	2 5 0 0 0	2 5 0 0 0	2 5 0 0 0
5. Tank Contents (Mark one "X" for each tank)					
A. Leaded gasoline	X	X	X	X	X
B. Unleaded gasoline					
C. Alcohol endriched gasoline					
D. Light diesel fuel (No. 1-D)					
E. Medium diesel fuel (No. 2-D)					
F. Waste Oil					
G. Kerosene (No. 1)					
H. Home heating oil (No. 2)					
J. Heating oil (No. 4)					
K. Heavy heating oil (No. 6)					
L. Aviation fuel					
M. Motor oil					
N. Lubricating oil					
P. Sewage					
Q. Sewage sludge					
R. Other hazardous substances (specify)					
S. Hazardous waste (specify ID number)					
T. Mixtures (please specify)					
U. Emergency spill tank (specify substance)					
V. Other petroleum products (please specify)					
W. Other (please specify)					
6. Tank & Piping Construction (Mark one each for both tank & piping)	Tank Piping	Tank Piping	Tank Piping	Tank Piping	Tank Piping
A. Bare Steel					
B. Cathodically protected steel					
C. Fiberglass-coated steel					
D. Fiberglass-reinforced plastic					
E. Internally lined					
F. Other (please specify)					
7. Tank & Piping Structure (Mark one each for both tank & piping)	Tank Piping	Tank Piping	Tank Piping	Tank Piping	Tank Piping
A. Single wall					
B. Double wall					
C. Other (please specify)					
8. Type of Monitoring/Detection System (Mark all that apply for both tank & piping)	Tank Piping	Tank Piping	Tank Piping	Tank Piping	Tank Piping
A. Statistical Inventory Reconciliation					
B. Manual Tank Gauging					
C. Inventory Control					
D. Interstitial					
E. Precision Test					
F. Ground water observation wells					
G. Vapor observation wells					
H. In-tank (automatic) monitoring gauge					
J. Periodic Tank Test					

Tank Identification Number	TANK NO. 35	TANK NO. 36	TANK NO. 37	TANK NO. 38	TANK NO. 39
8. Type of Monitoring/Detection System	Tank ☐ Piping ☐	Tank ☐ Piping ☐	Tank ☐ Piping ☐	Tank ☐ Piping ☐	Tank ☐ Piping ☐
K. None					
L. Other (please specify)					
9. Overfill Protection (tank only) (Mark one X for each tank)					
A. Yes	☒	☒	☒	☒	☒
B. No	☐	☐	☐	☐	☐
10. Spill Containment Around Fill Pipe (Mark one X for each tank)					
A. Yes	☒	☒	☒	☒	☒
B. No	☐	☐	☐	☐	☐
11. Tank Status (Mark one X for each tank)	Tank / Piping	Tank / Piping	Tank / Piping	Tank / Piping	Tank / Piping
A. In-use	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐
B. Empty less than 12 months	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐
C. Empty 12 months or more	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐
D. Emergency spill tank (sump)	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐
E. Emergency backup generator tank	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐
F. Abandoned in Place	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐
G. Removed	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐	☐ / ☐
H. Other (please specify)					
12. If box 11B, C, or D above has been marked, indicate the estimated date last used (month/day/year)	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year
13. Closure Information - Tank ID No.	TANK NO. 35	TANK NO. 36	TANK NO. 37	TANK NO. 38	TANK NO. 39
	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year
A. Date abandoned in place					
B. Date taken temporarily out of service					
C. Date removed	03 25 1998	03 25 1998	03 25 1998	03 25 1998	03 25 1998
D. Date of Sale or Transfer					
E. TMS # (if applicable) N/A	FEDERAL CASE MANAGEMENT				
F. ISRA # (if applicable)					

SECTION C - FINANCIAL RESPONSIBILITY

Does this facility have a Financial Responsibility Assurance Mechanism as required in 40 CFR 280? ☐ YES ☐ NO N/A
Please list the appropriate financial information below:

_____ Type

_____ Carrier / Issuing Agency

___/___/___ Effective Date

___/___/___ Expiration Date

_____ Policy Number

$_____ Amount

SECTION D - MONITORING SYSTEMS

Does this facility have a release detection monitoring system which is in compliance with N.J.A.C. 7:14B-6? ☐ YES ☒ NO
If "No", please be aware that the facility must meet the appropriate deadline. (See "Dates to Know" on Page 4)

SECTION E - RECORDKEEPING/COMPLIANCE

Please answer all the questions in this section on a facility basis. Any one tank not in compliance requires a "NO" answer for the entire facility.

1. Does this facility have cathodic protection systems for all steel tanks and piping? ☐ YES ☒ NO
   If "Yes", are the systems properly operated and maintained pursuant to N.J.A.C. 7:14B-5? ☐ YES ☐ NO
2. Are the performance claims and documentation of monitoring systems maintained by the owner or operator pursuant to N.J.A.C. 7:14B-5? ☐ YES ☒ NO
3. Are the proper monitoring, testing, sampling, repair and inventory records kept on-site pursuant to N.J.A.C. 7:14B-5 and 6? ☐ YES ☒ NO
4. Is the proper Release Response Plan kept on-site pursuant to N.J.A.C. 7:14B-5? ☐ YES ☒ NO
5. Does the facility have spill and over fill protection systems pursuant to N.J.A.C. 7:14B-4? ☐ YES ☒ NO
6. Have all Fill Ports been permanently marked as per API #1637 pursuant to N.J.A.C. 7:14B-5? ☐ YES ☒ NO

IMPORTANT INFORMATION

FEE:	Please make checks payble to: "Treasurer, State of New Jersey". Use of the enclosed return envelope will expedite processing. Registration and Billing Schedule can be found in N.J.A.C. 7:14B. All Initial Registration fees are $100 per facility.
PENALTY:	Failure by owner or operator of a regulated underground storage tank to comply with any requirement of the State UST Act or regulations may result in the penalties set forth in N.J..S.A. 58:10A-10.
EMERGENCY:	If a discharge or spill occurs, the NJDEP Hotline at (609) 292-7172 must be called IMMEDIATELY - 24 hours a day.
UPGRADE EXEMPTION:	Residential heating oil underground storage tanks are exempt from all upgrade requirements.

DATES TO KNOW (critical deadlines)

December 22, 1988 —	All new federally regulated tank systems must have cathodic protection and spill/overfill protection.
September 4, 1990 —	All new State-only regulated tank systems must have cathodic protection and spill/overfill protection.
December 22, 1990 —	All federally regulated piping must have begun leak detection.
February 19, 1993 —	All federally regulated tank systems must maintain financial responsibility assurance.
December 22, 1993 —	All federally regulated tank systems must have begun leak detection.
December 22, 1998 —	All regulated tanks shall install cathodic protection and spill/overfill protection.

CERTIFICATIONS

NOTE: IF THE PERSON SIGNING CERTIFICATION NO. 2 IS THE SAME AS THE PERSON SIGNING CERTIFICATION NO. 1, THEN CERTIFICATION NO. 2 NEED NOT BE SIGNED. (If different persons are required to sign No. 1 and No. 2, then they must do so.)

CERTIFICATION NO. 1:

Must be signed by the highest ranking individual at the facility with overall responsibility

"I certify under penalty of law that the information provided in this document is true, accurate and complete to the best of my knowledge, information and belief. I am aware that there are significant civil and criminal penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

James Ott
(Typed / Printed Name)

(Signature)

Director, DPW
(Title)

(Date)

CERTIFICATION NO. 2:

Must be signed as follows:
- For a corporation, by a principal executive officer of at least the level of vice president
- For a partnership or sole proprietorship, by a general partner or the proprietor, respectively
- For a municipality, State, Federal or other public agency, by either a principal executive officer or ranking elected official
- For persons other than indicated above, by the person with legal responsibility for the site

"I certify under penalty of law that I have personally examined and am familiar with the information submitted herein and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information. I believe that the submitted information is true, accurate and complete. I am aware that there are significant civil and criminal penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

(Typed / Printed Name)

(Signature)

(Title)

(Date)

CERTIFICATION NO. 3:

If applicable, must be signed by the individual who is certified to perform services.

"I certify under penalty of law that the information provided in this document is true, accurate and complete to the best of my knowledge, information and belief. I am aware that there are significant civil and criminal penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

Harry H. Elias, P.E. (Typed / Printed Name)

Operations Mgr. (Title)

Harry H. Elias (Signature)

4/10/98 (Date)

Environmental Control Technologies, Inc.
(Name of Firm, if applicable)

001050
(N.J. Certification Number)

APPENDIX C

WASTE MANIFESTS

State of New Jersey
Department of Environmental Protection
Hazardous Waste Regulation Program
Manifest Section
CN 421, Trenton, NJ 08625-0421

* 2199898 *

lease type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-96

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. | Manifest Document No. | 2. Page 1 of 1 | Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
U.S. ARMY Communications Electronics Command
Main Post (Bldg 1)
Fort Monmouth NJ 07703

4. Generator's Phone ( )

A. State Manifest Document Number: NJA 2199898

B. State Generator's ID: Same

C. State Transporter's ID: 1500[illegible]

D. Transporter's Phone: 908 [illegible]

E. State Treatment, Disposal, or Recycling Facility's ID:

F. Transporter's Phone:

G. State Facility's ID:

H. Facility's Phone: 908 [illegible]

5. Transporter 1 Company Name: Mantek Energy | 6. US EPA ID Number

7. Transporter 2 Company Name | 8. US EPA ID Number

9. Designated Facility Name and Site Address
LORCO
[illegible] P.O. Box 5A
Old Bridge NJ 08857

10. US EPA ID Number: NJD 980 [illegible]

11. US DOT Description (Including Proper Shipping Name, Hazard Class or Division, ID Number and Packing Group)	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. WASTE Combustible Liquid NOS, Combustible Liquid, NA 1993, PG III	X	X X	17	X D	30	6 X172
b.						
c.						
d.						

J. Additional Descriptions for Materials Listed Above

a. | c.

b. | d.

K. Handling Codes for Wastes Listed Above

a. | c.

b. | d.

15. Special Handling Instructions and Additional Information
* NJ Spill Waste
Liquid Pkg Not Spec'd

TANK

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR**, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Month	Day	Year
		11	16	95

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month	Day	Year

NJA 2199898

EPA Form 8700-22 (Rev. 9/88) Previous editions are obsolete.

SIGNATURE AND INFORMATION *MUST* BE LEGIBLE ON ALL COPIES

6 — GENERATOR MAIL TO - TSD'S STATE

State of New Jersey
Department of Environmental Protection
Hazardous Waste Regulation Program
Manifest Section
CN 421, Trenton, NJ 08625-0421

* 2 1 9 9 8 9 9 *

Use type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-96

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. NJ3210020597 | Manifest Document No. 270011 | 2. Page 1 of 1 | Information in the shaded areas is not required by Federal law.

Generator's Name and Mailing Address
U.S Army Communications Electronics Command
Main Post, C/o Joseph Pallow; Bldg 173
ATTN: SELFM-PW-EV, Fort Monmouth, NJ 07703
Generator's Phone (908) 532-6223

A. State Manifest Document Number NJA 2199899

B. State Generator's ID-(Gen. Site Address) SAME

5. Transporter 1 Company Name: MAUMEE EXPRESS | 6. US EPA ID Number: NJD986607380 | C. State Trans. ID-NJDEPE: 500518 | Decal No.: 729817

Transporter 2 Company Name | 8. US EPA ID Number | D. Transporter's Phone (908) 271-0320 | E. State Trans. ID-NJDEPE | Decal No.:

9. Designated Facility Name and Site Address
LORCO
RD1, P.O. Box 5A
Old Bridge, NJ 08857

10. US EPA ID Number: NJD084044064

F. Transporter's Phone ( ) | G. State Facility's ID | H. Facility's Phone (908) 721-0900

	US DOT Description (Including Proper Shipping Name, Hazard Class or Division, ID Number and Packing Group)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
HM						
X	WASTE Combustible Liquid, N.O.S. Combustible Liquid, NA1993 PG III	XX	T	2860	G	X722

Additional Descriptions for Materials Listed Above
a.
c.
d.

K. Handling Codes for Wastes Listed Above
a.
c.
b.
d.

15. Special Handling Instructions and Additional Information
* N.J. SPECIAL WASTE
License Plate # A31J2J
Bldg 700
Tank 1 980 Gal
Tank 2 330 Gal
Tank 3 90 Gal
Tank 4 640 Gal

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Charles Appleby SELFM-PW-EV | Signature | Month Day Year: 11 07 96

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: Thomas Lyle | Signature | Month Day Year: 11 07 96

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name | Signature | Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name | Signature | Month Day Year

NJA 2199899

EPA Form 8700-22 (Rev. 9-88) Previous editions are obsolete

SIGNATURE AND INFORMATION MUST [illegible]E ON ALL COPIES

1—TSD MAIL TO TSD'S STATE

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. NJ7210020978

Manifest Document No. 007

2. Page 1 of 1

3. Generator's Name and Mailing Address
US Army Communications Electronics Command
Charles Wood Area, c/o Jac Fallon, Bldg 173
Fort Monmouth NJ 07703

4. Generator's Phone (732) 532-6223 ATTN: SELFM-EV

5. Transporter 1 Company Name: Fuel Tank Maintenance Service

6. US EPA ID Number: NJD157717646

A. State Transporter's ID: JA 376

B. Transporter 1 Phone: 201-440-7672

7. Transporter 2 Company Name

8. US EPA ID Number

C. State Transporter's ID

D. Transporter 2 Phone

9. Designated Facility Name and Site Address
New York Oil Recovery, Inc.
94 Haugman Street
Brooklyn, NY 11222

10. US EPA ID Number: NYD981141372

E. State Facility's ID

F. Facility's Phone: (718) 599-5120

11. WASTE DESCRIPTION	Containers No.	Containers Type	13. Total Quantity	14. Unit Wt./Vol.
a. Waste Oil (Non) Combustible Liquid NA1270	001	TT	1750	G
b.				
c.				
d.				

F. Additional Descriptions for Materials Listed Above
Liquid Tank Bottoms

G. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
NJ Decal No. SNJ 36775

GENERATOR

16. **GENERATOR'S CERTIFICATION:** I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name: Joseph Fallon
Signature: Joseph M. Fallon
Date: Month 2 Day 27 Year 98

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name
Signature
Date: Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name
Signature
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.
Printed/Typed Name
Signature
Date: Month Day Year

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: NJ 2210020978

Manifest Document No.: 008

2. Page 1 of 1

3. Generator's Name and Mailing Address
US Army Communications Electronics Command
Charles Wood Area, c/o Joseph Fallon, Bldg. 173
Attn: SELFM-PW-EV, Fort Monmouth, NJ 07703

4. Generator's Phone (732 532-6223

5. Transporter 1 Company Name: Fuel Tank Maintenance Service, Inc.

6. US EPA ID Number: NJD157717646

A. State Transporter's ID: JA 376

B. Transporter 1 Phone: (201)440-7672

7. Transporter 2 Company Name:

8. US EPA ID Number:

C. State Transporter's ID:

D. Transporter 2 Phone:

9. Designated Facility Name and Site Address
New York Oil Recovery, Inc.
94 Hausman Street
Brooklyn, NY 11222

10. US EPA ID Number: NYD981141872

E. State Facility's ID:

F. Facility's Phone: (718) 599-5120

11. WASTE DESCRIPTION	Containers No.	Containers Type	13. Total Quantity	14. Unit Wt./Vol.
a. Waste Oil (NOS) Combustible Liquid NA1270	001	TT	349	G
b.				
c.				
d.				

F. Additional Descriptions for Materials Listed Above
Liquid Tank Bottoms

G. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
NJ Decal No. SNJ86775

GENERATOR

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name: Joseph Fallon
Signature: Joseph M Fallon
Date: Month 03 Day 02 Year 98

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: THOMAS R OSCZEPINSKI
Signature: Thomas R Osczepinski
Date: Month 03 Day 02 Year 98

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name:
Signature:
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.

Printed/Typed Name:
Signature:
Date: Month Day Year

F14 Printed by Labelmaster, An American Labelmark Co., Chicago, IL 60646 (800) 621-5808

PRINTED ON RECYCLED PAPER USING SOYBEAN INK
PRINTED WITH SOY INK

Rev. 3/95

APPENDIX D

UST DISPOSAL CERTIFICATES

TANKS
DISPOSAL
Tickets

Neptune Iron & Metal Recycling Co., Inc.

Ferrous & Non-Ferrous Metals - Container Service
101 MEMORIAL DRIVE at 11th Avenue
NEPTUNE, N.J. 07753
(908) 774-4100

DATE 2-2-98

SOLD TO: Fort Monmouth

ADDRESS: _____ PHONE: _____

QUANTITY	DESCRIPTION	PRICE
8500	lbs. Heavy Iron @ $2.00/	$170.00

REFUND POLICY: Refunds will only be given if we cannot replace wrong or defective part.
Deposits not refundable. Electrical items not returnable.
D1F424

Neptune Iron & Metal Recycling Co., Inc.

Ferrous & Non-Ferrous Metals - Container Service
101 MEMORIAL DRIVE at 11th Avenue
NEPTUNE, N.J. 07753
(908) 774-4100

DATE 2-4-98

SOLD TO: Fort Monmouth

ADDRESS: _____ PHONE: _____

QUANTITY	DESCRIPTION	PRICE
	Heavy Iron	
11400	lbs. @ $2.00/	$228.00

REFUND POLICY: Refunds will only be given if we cannot replace wrong or defective part.
Deposits not refundable. Electrical items not returnable.
D1F424

Neptune Iron & Metal Recycling Co., Inc.

Ferrous & Non-Ferrous Metals - Container Service
101 MEMORIAL DRIVE at 11th Avenue
NEPTUNE, N.J. 07753
(908) 774-4100

DATE 2/5/98

SOLD TO: Fort Monmouth

ADDRESS: _____ PHONE: _____

QUANTITY	DESCRIPTION	PRICE
	Heavy Iron	
	10,000 lbs	
	at $2.00 per/hund. lb.	200.00

REFUND POLICY: Refunds will only be given if we cannot replace wrong or defective part.
Deposits not refundable. Electrical items not returnable.

D1F424

Neptune Iron & Metal Recycling Co., Inc.

Ferrous & Non-Ferrous Metals - Container Service
101 MEMORIAL DRIVE at 11th Avenue
NEPTUNE, N.J. 07753
(908) 774-4100

DATE 2/9/98

SOLD TO: Fort Monmouth

ADDRESS: _____ PHONE: _____

QUANTITY	DESCRIPTION	PRICE
8900	Heavy Iron	178.00
	@ $2.00/hund. lbs.	

REFUND POLICY: Refunds will only be given if we cannot replace wrong or defective part.
Deposits not refundable. Electrical items not returnable.

D1F424

Neptune Iron & Metal Recycling Co., Inc.

Ferrous & Non-Ferrous Metals - Container Service
101 MEMORIAL DRIVE at 11th Avenue
NEPTUNE, N.J. 07753
(908) 774-4100

DATE 2/16/98

SOLD TO: Fort Monmouth

ADDRESS: _____ PHONE: _____

QUANTITY	DESCRIPTION	PRICE
	Heavy Iron	
11000	@ $2.00/hundred	
	TL	220.00

REFUND POLICY: Refunds will only be given if we cannot replace wrong or defective part.
Deposits not refundable. Electrical items not returnable.
D1F424

Neptune Iron & Metal Recycling Co., Inc.

Ferrous & Non-Ferrous Metals - Container Service
101 MEMORIAL DRIVE at 11th Avenue
NEPTUNE, N.J. 07753
(908) 774-4100

DATE 2/12/98

SOLD TO: Fort Monmouth

ADDRESS: _____ PHONE: _____

QUANTITY	DESCRIPTION	PRICE
3	Fuel tanks	
5400 lbs.	@ $1.00/hundred	
	Dec	54.00

REFUND POLICY: Refunds will only be given if we cannot replace wrong or defective part.
Deposits not refundable. Electrical items not returnable.
D1F424

Neptune Iron & Metal Recycling Co., Inc.

Ferrous & Non-Ferrous Metals - Container Service
101 MEMORIAL DRIVE at 11th Avenue
NEPTUNE, N.J. 07753
(908) 774-4100

DATE 2/11/98

SOLD TO: Fort Monmouth

ADDRESS: _____ PHONE: _____

QUANTITY	DESCRIPTION	PRICE
11,600	Heavy Iron @ $2.00 per hund. lbs.	232.00

REFUND POLICY: Refunds will only be given if we cannot replace wrong or defective part.
Deposits not refundable. Electrical items not returnable.

D1F424

Neptune Iron & Metal Recycling Co., Inc.

Ferrous & Non-Ferrous Metals - Container Service
101 MEMORIAL DRIVE at 11th Avenue
NEPTUNE, N.J. 07753
(908) 774-4100

DATE 2/9/98

SOLD TO: Fort Monmouth

ADDRESS: _____ PHONE: _____

QUANTITY	DESCRIPTION	PRICE
8100	Heavy Iron at $2.00 per/hund. lbs.	162—

REFUND POLICY: Refunds will only be given if we cannot replace wrong or defective part.
Deposits not refundable. Electrical items not returnable.

D1F424

APPENDIX E

CONTAMINATED SOIL WEIGH TICKETS

APPENDIX F

SOIL ANALYTICAL DATA PACKAGE

Report of Analysis
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification # 13461

Client :	U.S. Army	**Lab. ID # :**	3414
	DPW, SELFM-PW-EV	**Date Rec'd:**	17-Mar-98
	Bldg. 173	**Analysis Start:**	18-Mar-98
	Ft. Monmouth, NJ 07703	**Analysis Complete:**	19-Mar-98
Analysis:	OQA-QAM-025	**UST Reg. #:**	
Matrix:	Soil	**Closure #:**	
Analyst:	D.DEINHARDT	**DICAR #:**	
Ext. Meth:	Shake	**Location #:**	2700

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
3414.01	PS-1	1.00	15.67	81.64	184	405.20
3414.02	PS-2	1.00	15.45	84.86	179	412.09
3414.03	PS-3	1.00	15.27	87.99	175	ND
METHOD BLANK	18-Mar-98	1.00	15.00	100.00	157	ND

ND = Not Detected

MDL = Method Detection Limit

Daniel K. Wright
Laboratory Director

Report of Analysis
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification # 13461

Client :	U.S. Army	**Lab. ID # :**	3438
	DPW. SELFM-PW-EV	**Date Rec'd:**	27-Mar-98
	Bldg. 173	**Analysis Start:**	27-Mar-98
	Ft. Monmouth, NJ 07703	**Analysis Complete:**	28-Mar-98
Analysis:	OQA-QAM-025	**UST Reg. #:**	
Matrix:	Soil	**Closure #:**	
Analyst:	D.DEINHARDT	**DICAR #:**	
Ext. Meth:	Shake	**Location #:**	B. 1220/ 2700

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
3438.01	2700-1	1.00	15.67	83.06	90	ND
3438.02	2700-2	1.00	15.03	83.04	93	ND
3438.03	2700-3	1.00	15.43	84.21	89	264.00
3438.04	2700-4	1.00	15.04	82.37	95	ND
3438.05	2700-5	1.00	15.16	78.18	99	ND
3438.06	2700-6	1.00	15.10	85.05	91	ND
METHOD BLANK	27-Mar-98	1.00	15.00	100.00	157	ND

ND = Not Detected

MDL = Method Detection Limit

Daniel K. Wright
Laboratory Director

APPENDIX G

GROUNDWATER ANALYTICAL DATA PACKAGE

FORT MONMOUTH ENVIRONMENTAL TESTING LABORATORY

DIRECTORATE OF PUBLIC WORKS
PHONE: (732)532-6224 FAX: (732)532-3484
WET-CHEM - METALS - ORGANICS - FIELD SAMPLING
NJDEP LABORATORY CERTIFICATION # 13461



ANALYTICAL DATA REPORT
Fort Monmouth Environmental Laboratory
ENVIRONMENTAL DIVISION
Fort Monmouth, New Jersey
PROJECT: UST Program

BLDG. 2700

Field Location No. & Location	Laboratory Sample ID#	Matrix	Date and Time Of Collection	Date Received
Trip Blank	4052.01	Aqueous	13-Nov-98	11/13/98
Field Blank	4052.02	Aqueous	13-Nov-98 09:30	11/13/98
Bldg. 2700 8-11'	4052.03	Aqueous	13-Nov-98 10:00	11/13/98
Field Dup	4052.06	Aqueous	13-Nov-98	11/13/98

ANALYSIS:
FORT MONMOUTH ENVIRONMENTAL LAB.
VOA+15, BN+15

12-8-98
Daniel Wright/Date
Laboratory Director

ENCLOSURE:
CHAIN OF CUSTODY
FIELD DOCUMENTATION
RESULTS

Table of Contents

Section	Pages
Chain of Custody	1-2
Field Documentation	3-5
Methodology Review	6-7
Conformance/Non-Conformance Summary	8-10
Laboratory Chronicle	11-12
Volatile Organics	13-14
Analytical Results Summary	15-24
Tune Results Summary	25-28
Method Blank Results Summary	29
Calibration Summary	30-33
Surrogate Recovery Summary	34
MS/MSD Results Summary	35-36
Internal Standard Area & RT Summary	37
Chromatograms	38-47
Base Neutrals	48
Analytical Results Summary	49-60
Tune Results Summary	61-64
Method Blank Results Summary	65
Calibration Summary	66-70
Surrogate Recovery Summary	71
MS/MSD Results Summary	72
Internal Standard Area & RT Summary	73-74
Chromatograms	75-82
Laboratory Deliverables Checklist	83
Laboratory Authentication Statement	84

CHAIN OF CUSTODY

Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703
Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil
NJDEP Certification #13461

Chain of Custody Record

Customer: CHAS. APPLEBY/VERSAR
Phone #: x26224
( )DERA (✓)OMA ( )Other:_____

Project No:
Location: BLDGS 2700 270 + 271

Samplers Name / Company :

Lab Sample I.D.	Sample Location	Date	Time	Sample Type	# bottles	VOA + 15	BN + 15							Comments: Remarks / Preservation Method
4052. 1	TRIP BLANK	11-13-98 (MC)	—	AQ.	2	X								HCL
2	FIELD BLANK	"	930	"	3	X	X							HCL/4°C
3	BLDG. 2700 - 8-11'	"	1000	"	"	X	X							"
4	BLDG. 270 - 8-11'	"	1450	"	"	X	X							"
5	BLDG. 271 - 13-15'	"	1515	"	"	X	X							"
6	FIELD DUP.	"		"	"	X	X							"

Relinquished by (signature):	Date/Time:	Received by (signature):	Relinquished by (signature):	Date/Time:	Received by (signature):
[signature]	11-13-98 1540	[signature]			
Relinquished by (signature):	Date/Time:	Received by (signature):	Relinquished by (signature):	Date/Time:	Received by (signature):
		[signature]			

Report Type: (_)Full, (✓)Reduced, (_)Standard, (_)Screen / non-certified
Turnaround time: (✓)Standard 4 wks, (_)Rush ____ Days, (_)ASAP Verbal ____Hrs.

Remarks:

2000

print legibly

coc.XLS11/10/98

FIELD DOCUMENTATION

Post Remedial Groundwater Sampling at Former Underground Storage Tank Site [# 2 fuel oil]

FOR BLDG. # 2700

Ground Water Sampling with the use of a Passively Placed Narrow Diameter Point (PPNDP)

Objective:

To collect a representative groundwater sample utilizing a narrow diameter point [PPNDP] This is a small diameter [1-inch OD] screened casing passively placed in a borehole. The casing is of p.v.c. construction.

1. Methods

A. A solid push - rod (bull point) is used to create a narrow diameter hole to a depth below the water table. A piece of schedule 40 PVC screen with 0.010-inch slots and an end cap is placed to the bottom of the hole. Glues or adhesives are not used for joining the casing. Threaded PVC casing is used. No filter or gravel pack is used.

2. Installation

A. Using a Geoprobe, a borehole was advanced with a pre-probe with a diameter slightly larger than the casing. The hole was made to a depth of 12 feet. The water table was at 9 feet below ground surface.

B. The screened section of PVC was placed into the borehole so the screened section was across the ground water table from 7 - 12 feet. Riser casing from 7 - +3 feet.

3. Purging

A. Three volumes of the standing water in the point were purged. The amount of water extracted was app. 0.123 gal. Three to five volumes are purged due to the potential for cross contamination of the screen from upper soil horizons. This was accomplished utilizing a peristaltic pump, and utilizing food grade tubing.

4. Sampling

A. Sampling methods, sample preservation requirements, sample handling times, decontamination procedure for field equipment, and frequency for field blanks, field duplicates and trip blanks conform to applicable industry methods such as those specified in the NJDEP "Field Sampling Procedures Manual" in effect as of the date on which sampling is performed. Any deviations from the methods in the "Field Sampling Procedures Manual" pursuant to N.J.A.C. 7:26E-1.6(c) has been approved by the person responsible for conducting the remediation.

All samples were preserved in the field immediately after collection and submitted to the laboratory as soon as possible and no later than 48 hours after sample collection.

The acquisition of samples and water level measurements were performed as recommended and described in the May 1992 edition of NJDEP Field Sampling Procedures Manual.

5. Quality Assurance/Quality Control

A. Decontamination

The associated equipment (bull point, riser pipe, etc.) was decontaminated between borings using the following procedure:

1. Remove all adherent soil material.
2. Wash with a laboratory grade glassware detergent.
3. Rinsed with potable water.
4. Rinse with distilled and deionized ASTM Type II water.

B. Field Blanks

1 Field blank was taken at this location.

C. Sample bottles: Supplied by Environmental Sampling Supply, Oakland, Calif. The sample bottles are certified clean and are sealed upon delivery.

D. P.V.C. Screens: Supplied by Bedrock Enterprises, Forked River N.J.

Geoprobe Operator: Mark Laura
Employer: U.S. Army, Fort Monmouth
Phone Number: [732] 532-8990
NJDEP License #: J-1486

Mark Laura 12-2-98
Mark Laura / Date

METHODOLOGY SUMMARY

Methodology Summary

EPA Method 624
Gas Chromatographic Determination of Volatiles in Water

Surrogates and internal standards are added to a 5 ml aliquot of sample. The sample is then purged and desorbed into a GC/MS system. The organic compounds are separated by the gas chromatograph and detected using the mass spectrometer. Volatiles are identified and quantitated.

EPA Method 3510/8270
Gas Chromatographic Determination of Semi-volatiles in Water

Surrogates are added to a measured volume of sample, usually 1 liter, at a specified pH. The sample is serially extracted with Methylene Chloride using a separatory funnel. The extract concentrated and internal standards are added. The sample is injected into a GC/MS system. Semi-volatiles are identified and quantitated.

CONFORMANCE/ NON-CONFORMANCE SUMMARY

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT

Indicate Yes, No, N/A

1. Chromatograms labeled/Compounds identified (Field samples and method blanks) — Yes
2. Retention times for chromatograms provided — Yes
3. GC/MS Tune Specifications
   a. BFB Meet Criteria — Yes
   b. DFTPP Meet Criteria — Yes
4. GC/MS Tuning Frequency – Performed every 24 hours for 600 series and 12 hours for 8000 series — Yes
5. GC/MS Calibration – Initial Calibration performed before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series — Yes
6. GC/MS Calibration requirements
   a. Calibration Check Compounds Meet Criteria — Yes
   b. System Performance Check Compounds Meet Criteria — Yes
7. Blank Contamination – If yes, List compounds and concentrations in each blank: — ND
   a. VOA Fraction _____
   b. B/N Fraction _____
   c. Acid Fraction NA
8. Surrogate Recoveries Meet Criteria — Yes

   If not met, list those compounds and their recoveries, which fall outside the acceptable range:
   a. VOA Fraction _____
   b. B/N Fraction _____
   c. Acid Fraction NA

   If not met, were the calculations checked and the results qualified as "estimated"? _____
9. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria — Yes
   (If not met, list those compounds and their recoveries, which fall outside the acceptable range)
   a. VOA Fraction _____
   b. B/N Fraction _____
   c. Acid Fraction NA

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT (cont.)

Indicate
Yes, No, N/A

10. Internal Standard Area/Retention Time Shift Meet Criteria — Yes
(If not met, list those compounds, which fall outside the acceptable range)

    a. VOA Fraction _____
    b. B/N Fraction _____
    c. Acid Fraction ND

11. Extraction Holding Time Met — Yes

If not met, list the number of days exceeded for each sample: _____

12. Analysis Holding Time Met — Yes

If not met, list the number of days exceeded for each sample: _____

Additional Comments:
Field dup performed on 4052.03 Bldg 2700 S-11'

Laboratory Manager: _____ Date: 12-8-94

VOLATILE ORGANICS

US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461

Definition of Qualifiers

MDL : Method Detection Limit
J : Compound identified below detection limit
B : Compound in both sample and blank
D : Results from dilution of sample
U : Compound searched for but not detected

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam	**vb02128.d**	Sample Name	**Vblk65**
Operator	**Skelton**	Field ID	**Vblk65**
Date Acquired	**17 Nov 98 3:32 pm**	Sample Multiplier	**1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID: **Vblk65**

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4052 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: Vblk65

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02128.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: not dec. _____ Date Analyzed: 11/17/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02143.d**
Operator **Skelton**
Date Acquired **18 Nov 98 3:00 am**

Sample Name **4052.01**
Field ID **Trip Blank**
Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID: **Trip Blank**

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4052 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 4052.01

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02143.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: not dec. _____ Date Analyzed: 11/18/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02144.d**
Operator **Skelton**
Date Acquired **18 Nov 98 3:45 am**

Sample Name **4052.02**
Field ID **Field Blank**
Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride	12.82	77677	2.15 ug/L	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID: **Field Blank**

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4052 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 4052.02

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02144.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: not dec. _____ Date Analyzed: 11/18/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02145.d**
Operator **Skelton**
Date Acquired **18 Nov 98 4:30 am**

Sample Name **4052.03**
Field ID **Bldg2700**
Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene	17.20	69012	1.41 ug/L	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID: **Bldg. 2700**

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4052 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 4052.03

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02145.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: not dec. _____ Date Analyzed: 11/18/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02148.d**
Operator **Skelton**
Date Acquired **18 Nov 98 6:44 am**

Sample Name **4052.06**
Field ID **Field Dup**
Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene	17.21	80795	1.56 ug/L	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID

TENTATIVELY IDENTIFIED COMPOUNDS

Field Dup.

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4052 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 4052.06

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02148.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: not dec. _____ Date Analyzed: 11/18/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 6

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1. 000119-64-2	Naphthalene, 1,2,3,4-tetrahydro-	27.41	9	JN
2. 000091-20-3	Naphthalene	31.33	19	JN
3. 003877-19-8	Naphthalene, 1,2,3,4-tetrahydro-	31.84	6	JN
4. 006682-71-9	1H-Indene, 2,3-dihydro-4,7-dimet	34.95	5	JN
5. 001680-51-9	Naphthalene, 1,2,3,4-tetrahydro-	35.40	13	JN
6. 001680-51-9	Naphthalene, 1,2,3,4-tetrahydro-	37.38	8	JN

BASE NEUTRALS

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name	**bna01324.d**	Sample Name	**Sblk166**
Operator	**Skelton**	Misc Info	**Sblk166 A 981115**
Date Acquired	**20 Nov 1998 1:23 am**	Sample Multiplier	**1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL		Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52	ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64	ug/L	
62-53-3	Aniline			not detected	NLE	2.90	ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45	ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65	ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50	ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09	ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44	ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96	ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22	ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59	ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45	ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54	ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58	ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03	ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55	ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64	ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49	ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59	ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15	ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62	ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74	ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35	ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54	ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62	ug/L	
83-32-9	Acenaphthene			not detected	400	1.98	ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13	ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name	**bna01324.d**	Sample Name	**Sblk166**
Operator	**Skelton**	Misc Info	**Sblk166 A 981115**
Date Acquired	**20 Nov 1998 1:23 am**	Sample Multiplier	**1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L	
86-73-7	Fluorene			not detected	300	1.93	ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L	
120-12-7	Anthracene			not detected	2000	1.79	ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L	
206-44-0	Fluoranthene			not detected	300	1.85	ug/L	
92-87-5	Benzidine			not detected	50	4.11	ug/L	
129-00-0	Pyrene			not detected	200	1.02	ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L	
218-01-9	Chrysene			not detected	20	2.32	ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L	

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID

TENTATIVELY IDENTIFIED COMPOUNDS

Sblk166

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 4052 Location UST SDG No.:

Matrix: (soil/water) WATER Lab Sample ID: Sblk166

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01324.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: decanted: (Y/N) N Date Extracted: 11/15/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

Number TICs found: 1 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	26.38	15	J

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name	**bna01331.d**	Sample Name	**4052.02**
Operator	**Skelton**	Misc Info	**Field Blank**
Date Acquired	**20 Nov 1998 6:16 am**	Sample Multiplier	**1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL		Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52	ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64	ug/L	
62-53-3	Aniline			not detected	NLE	2.90	ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45	ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65	ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50	ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09	ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44	ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96	ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22	ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59	ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45	ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54	ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58	ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03	ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55	ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64	ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49	ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59	ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15	ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62	ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74	ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35	ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54	ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62	ug/L	
83-32-9	Acenaphthene			not detected	400	1.98	ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13	ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name	**bna01331.d**	Sample Name	**4052.02**
Operator	**Skelton**	Misc Info	**Field Blank**
Date Acquired	**20 Nov 1998 6:16 am**	Sample Multiplier	**1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L	
86-73-7	Fluorene			not detected	300	1.93	ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L	
120-12-7	Anthracene			not detected	2000	1.79	ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L	
206-44-0	Fluoranthene			not detected	300	1.85	ug/L	
92-87-5	Benzidine			not detected	50	4.11	ug/L	
129-00-0	Pyrene			not detected	200	1.02	ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L	
218-01-9	Chrysene			not detected	20	2.32	ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L	

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID

TENTATIVELY IDENTIFIED COMPOUNDS

Field Blank

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 4052 Location UST SDG No.:

Matrix: (soil/water) WATER Lab Sample ID: 4052.02

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01331.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: decanted: (Y/N) N Date Extracted: 11/15/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

Number TICs found: 2 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	23.22	12	J
2.	unknown	26.38	28	J

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name	**bna01332.d**	Sample Name	**4052.03**
Operator	**Skelton**	Misc Info	**Bldg2700**
Date Acquired	**20 Nov 1998 6:58 am**	Sample Multiplier	**1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL		Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52	ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64	ug/L	
62-53-3	Aniline			not detected	NLE	2.90	ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45	ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65	ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50	ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09	ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44	ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96	ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22	ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59	ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45	ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54	ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58	ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03	ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55	ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64	ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49	ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59	ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15	ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62	ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74	ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35	ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54	ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62	ug/L	
83-32-9	Acenaphthene			not detected	400	1.98	ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13	ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name	**bna01332.d**	Sample Name	**4052.03**
Operator	**Skelton**	Misc Info	**Bldg2700**
Date Acquired	**20 Nov 1998 6:58 am**	Sample Multiplier	**1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L	
86-73-7	Fluorene			not detected	300	1.93	ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L	
120-12-7	Anthracene			not detected	2000	1.79	ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L	
206-44-0	Fluoranthene			not detected	300	1.85	ug/L	
92-87-5	Benzidine			not detected	50	4.11	ug/L	
129-00-0	Pyrene			not detected	200	1.02	ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L	
218-01-9	Chrysene			not detected	20	2.32	ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L	

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID

TENTATIVELY IDENTIFIED COMPOUNDS

Bldg2700

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 4052 Location UST SDG No.:

Matrix: (soil/water) WATER Lab Sample ID: 4052.03

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01332.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: decanted: (Y/N) N Date Extracted: 11/15/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

Number TICs found: 1 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	26.38	17	J

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name	**bna01335.d**	Sample Name	**4052.06**
Operator	**Skelton**	Misc Info	**Field Dup**
Date Acquired	**20 Nov 1998 9:03 am**	Sample Multiplier	**1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL		Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52	ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64	ug/L	
62-53-3	Aniline			not detected	NLE	2.90	ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45	ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65	ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50	ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09	ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44	ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96	ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22	ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59	ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45	ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54	ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58	ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03	ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55	ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64	ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49	ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59	ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15	ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62	ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74	ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35	ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54	ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62	ug/L	
83-32-9	Acenaphthene			not detected	400	1.98	ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13	ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name	**bna01335.d**	Sample Name	**4052.06**
Operator	**Skelton**	Misc Info	**Field Dup**
Date Acquired	**20 Nov 1998 9:03 am**	Sample Multiplier	**1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L	
86-73-7	Fluorene			not detected	300	1.93	ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L	
120-12-7	Anthracene			not detected	2000	1.79	ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L	
206-44-0	Fluoranthene			not detected	300	1.85	ug/L	
92-87-5	Benzidine			not detected	50	4.11	ug/L	
129-00-0	Pyrene			not detected	200	1.02	ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L	
218-01-9	Chrysene			not detected	20	2.32	ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L	

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID

TENTATIVELY IDENTIFIED COMPOUNDS

Field Dup

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 4052 Location UST SDG No.:

Matrix: (soil/water) WATER Lab Sample ID: 4052.06

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01335.D

Level: (low/med) LOW Date Received: 11/12/98

% Moisture: decanted: (Y/N) N Date Extracted: 11/15/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

Number TICs found: 2 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	23.22	11	J
2.	unknown	26.38	24	J

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted ✓
2. Table of Contents submitted ✓
3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted ✓
4. Document paginated and legible ✓
5. Chain of Custody submitted ✓
6. Samples submitted to lab within 48 hours of sample collection ✓
7. Methodology Summary submitted ✓
8. Laboratory Chronicle and Holding Time Check submitted ✓
9. Results submitted on a dry weight basis ✓
10. Method Detection Limits submitted ✓
11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP ✓

Laboratory Manager or Environmental Consultant's Signature _____

Date 12/8/94

Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW-846 for Solid Waste Analysis. I have personally examined the information contained in this report and to the best of my knowledge, I believe that the submitted information is true, accurate, complete and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



Daniel K. Wright
Laboratory Manager

FORT MONMOUTH ENVIRONMENTAL TESTING LABORATORY

DIRECTORATE OF PUBLIC WORKS
PHONE: (732)532-6224 FAX: (732)532-3484
WET-CHEM - METALS - ORGANICS - FIELD SAMPLING
NJDEP LABORATORY CERTIFICATION # 13461

ANALYTICAL DATA REPORT
Fort Monmouth Environmental Laboratory
ENVIRONMENTAL DIVISION
Fort Monmouth, New Jersey
PROJECT: UST Program

Bldg. 2700

Field Location No. & Location	Laboratory Sample ID#	Matrix	Date and Time Of Collection	Date Received
Trip Blank	4148.01	Aqueous	18-Dec-98	12/18/98
Field Blank	4148.02	Aqueous	18-Dec-98 09:40	12/18/98
Bldg. 2700	4149.01	Aqueous	18-Dec-98 14:55	12/18/98

ANALYSIS:
FORT MONMOUTH ENVIRONMENTAL LAB
VOA+15, BN+15

2-5-99
Daniel Wright/Date
Laboratory Director

Table of Contents

Section	Pages
Chain of Custody	1-3
Field Documentation	4-6
Methodology Summary	7-8
Conformance/Non-Conformance Summary	9-11
Laboratory Chronicle	12-13
Volatile Organics	14-15
Analytical Results Summary	16-23
Tune Results Summary	24-28
Method Blank Results Summary	29-30
Calibration Summary	31-34
Surrogate Recovery Summary	35-36
MS/MSD Results Summary	37-38
Internal Standard Area & RT Summary	39-40
Chromatograms	41-48
Base Neutrals	49
Analytical Results Summary	50-55
Tune Results Summary	56-58
Method Blank Results Summary	59-60
Calibration Summary	61-62
Surrogate Recovery Summary	63-64
MS/MSD Results Summary	65-66
Internal Standard Area & RT Summary	67-70
Chromatograms	71-79
Laboratory Deliverables Checklist	80
Laboratory Authentication Statement	81

CHAIN OF CUSTODY



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703
Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil
NJDEP Certification #13461

Chain of Custody Record

Customer: CHAS APPLEBY
Phone #: 426224
( )DERA (✓)OMA ( )Other:_____

Project No:
Location: BLDG. 2700

Samplers Name / Company : MARK LAMBA T.V.S. AWS07

Lab Sample I.D.	Sample Location	Date	Time	Sample Type	# bottles	VOA+IS	BN+IS							Comments: Remarks / Preservation Method
4149.1	BLDG. 2700	12-18-98	1455	AQ.	3	X	X							HCL/4°C

Analysis Parameters: VOA+IS; BN+IS

Relinquished by (signature):	Date/Time:	Received by (signature):	Relinquished by (signature):	Date/Time:	Received by (signature):
Mark Lamba	12-18-98 1515				
Relinquished by (signature):	Date/Time:	Received by (signature):	Relinquished by (signature):	Date/Time:	Received by (signature):

Report Type: (_)Full, (X)Reduced, (_)Standard, (_)Screen / non-certified
Turnaround time: (X)Standard 4 wks, (_)Rush ___ Days; (_)ASAP Verbal ___ Hrs.

Remarks: SHARED T.B. + F.B. WITH BLDG. 75 SAME DAY

200000

print legibly

coc.XLS12/9/98



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703
Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil
NJDEP Certification #13461

Chain of Custody Record

Customer: CHAS. APPLEBY / VERSAR
Phone #: 12/10/24
( )DERA (✓)OMA ( )Other:_____
Project No:
Location: BLDG. 74
Samplers Name / Company : MARK LAURA T.V.S. PHS07

Lab Sample I.D.		Sample Location	Date	Time	Sample Type	# bottles	VOA + 15	BN + 15							Comments: Remarks / Preservation Method
4148	1	TRIP BLANK	12-18-98		AQ.	2	X								HCL
1	2	74-1-5-9'		1000	"	2	X								HCL
	3	" - "		1010	"	1		X							C4°C
	4	74-2-		1041	"	2	X								HCL
	5	" -		1114	"	1		X							C4°C
	6	74-3-		1320	"	2	X								HCL
	7	" -		1430	"	1		X							C4°C
	8	74-4-		1330	"	2	X								HCL
	9	" -		1345	"	1		X							C4°C
	10	74-5-		1411	"	2	X								HCL
	11	"		1420	"	1		X							C4°C
	12	FIELD DUP		—	"	3	X	X							HCL/C4°C
	13	FIELD BLANK		0940	"	3	X	X							HCL/C4°C

Relinquished by (signature):	Date/Time:	Received by (signature):	Relinquished by (signature):	Date/Time:	Received by (signature):
[signature]	12-18-98 1515	[signature]			
Relinquished by (signature):	Date/Time:	Received by (signature):	Relinquished by (signature):	Date/Time:	Received by (signature):
		[signature]			

Report Type: (_)Full, (X)Reduced, (_)Standard, (_)Screen / non-certified
Turnaround time: (X)Standard 4 wks, (_)Rush ____ Days, (_)ASAP Verbal ____ Hrs.

Remarks:

000003

print legibly

coc.XLS12/9/98

FIELD DOCUMENTATION

Post Remedial Groundwater Sampling at Former Underground Storage Tank Site [# 2 fuel oil]

FOR BLDG. # 2700

Ground Water Sampling with the use of a Passively Placed Narrow Diameter Point (PPNDP)

Objective:

To collect a representative groundwater sample utilizing a narrow diameter point [PPNDP] This is a small diameter [1-inch OD] screened casing passively placed in a borehole. The casing is of p.v.c. construction.

1. Methods

A. A solid push - rod (bull point) is used to create a narrow diameter hole to a depth below the water table. A piece of schedule 40 PVC screen with 0.010-inch slots and an end cap is placed to the bottom of the hole. Glues or adhesives are not used for joining the casing. Threaded PVC casing is used. No filter or gravel pack is used.

2. Installation

A. Using a Geoprobe, a borehole was advanced with a pre-probe with a diameter slightly larger than the casing. The hole was made to a depth of 12 feet. The water table was at 9 feet below ground surface.

B. The screened section of PVC was placed into the borehole so the screened section was across the ground water table from 7 - 12 feet. Riser casing from 7 - +3 feet.

3. Purging

A. Three volumes of the standing water in the point were purged. The amount of water extracted was app. 0.123 gal. Three to five volumes are purged due to the potential for cross contamination of the screen from upper soil horizons. This was accomplished utilizing a peristaltic pump, and utilizing food grade tubing.

4. Sampling

A. Sampling methods, sample preservation requirements, sample handling times, decontamination procedure for field equipment, and frequency for field blanks, field duplicates and trip blanks conform to applicable industry methods such as those specified in the NJDEP "Field Sampling Procedures Manual" in effect as of the date on which sampling is performed. Any deviations from the methods in the "Field Sampling Procedures Manual" pursuant to N.J.A.C. 7:26E-1.6(c) has been approved by the person responsible for conducting the remediation.

All samples were preserved in the field immediately after collection and submitted to the laboratory as soon as possible and no later than 48 hours after sample collection.

The acquisition of samples and water level measurements were performed as recommended and described in the May 1992 edition of NJDEP Field Sampling Procedures Manual.

5. Quality Assurance/Quality Control

A. Decontamination

The associated equipment (bull point, riser pipe, etc.) was decontaminated between borings using the following procedure:

1. Remove all adherent soil material.
2. Wash with a laboratory grade glassware detergent.
3. Rinsed with potable water.
4. Rinse with distilled and deionized ASTM Type II water.

B. Field Blanks

1 Field blank was taken at this location.

C. Sample bottles: Supplied by Environmental Sampling Supply, Oakland, Calif. The sample bottles are certified clean and are sealed upon delivery.

D. P.V.C. Screens: Supplied by Bedrock Enterprises, Forked River N.J.

Geoprobe Operator: Mark Laura
Employer: U.S. Army, Fort Monmouth
Phone Number: [732] 532-8990
NJDEP License #: J-1486

Mark Laura 12-2-98
Mark Laura / Date

METHODOLOGY SUMMARY

Methodology Summary

EPA Method 624
Gas Chromatographic Determination of Volatiles in Water

Surrogates and internal standards are added to a 5 ml aliquot of sample. The sample is then purged and desorbed into a GC/MS system. The organic compounds are separated by the gas chromatograph and detected using the mass spectrometer. Volatiles are identified and quantitated.

EPA Method 3510/8270
Gas Chromatographic Determination of Semi-volatiles in Water

Surrogates are added to a measured volume of sample, usually 1 liter, at a specified pH. The sample is serially extracted with Methylene Chloride using a separatory funnel. The extract concentrated and internal standards are added. The sample is injected into a GC/MS system. Semi-volatiles are identified and quantitated.

CONFORMANCE/ NON-CONFORMANCE SUMMARY

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT

Indicate Yes, No, N/A

1. Chromatograms labeled/Compounds identified (Field samples and method blanks) — yes
2. Retention times for chromatograms provided — yes
3. GC/MS Tune Specifications
   a. BFB Meet Criteria — yes
   b. DFTPP Meet Criteria — yes
4. GC/MS Tuning Frequency – Performed every 24 hours for 600 series and 12 hours for 8000 series — yes
5. GC/MS Calibration – Initial Calibration performed before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series — yes
6. GC/MS Calibration requirements
   a. Calibration Check Compounds Meet Criteria — yes
   b. System Performance Check Compounds Meet Criteria — yes
7. Blank Contamination – If yes, List compounds and concentrations in each blank: — yes
   a. VOA Fraction _____
   b. B/N Fraction bis(2Ethylhexyl)phthalate @ 27.53 in FB
   c. Acid Fraction NA
8. Surrogate Recoveries Meet Criteria — yes

   If not met, list those compounds and their recoveries, which fall outside the acceptable range:
   a. VOA Fraction _____
   b. B/N Fraction _____
   c. Acid Fraction NA

   If not met, were the calculations checked and the results qualified as "estimated"? _____
9. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria (If not met, list those compounds and their recoveries, which fall outside the acceptable range) — yes
   a. VOA Fraction _____
   b. B/N Fraction _____
   c. Acid Fraction NA

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT (cont.)

Indicate
Yes, No, N/A

10. Internal Standard Area/Retention Time Shift Meet Criteria — Yes
(If not met, list those compounds, which fall outside the acceptable range)

a. VOA Fraction _____
b. B/N Fraction _____
c. Acid Fraction NA

11. Extraction Holding Time Met — Yes

If not met, list the number of days exceeded for each sample: _____

12. Analysis Holding Time Met — Yes

If not met, list the number of days exceeded for each sample: _____

Additional Comments:

Laboratory Manager: _____ Date: 2-5-94

VOLATILE ORGANICS

US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461

Definition of Qualifiers

MDL : Method Detection Limit
J : Compound identified below detection limit
B : Compound in both sample and blank
D : Results from dilution of sample
U : Compound searched for but not detected

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam	**vb02437.d**	Sample Name	**Vblk76**
Operator	**Skelton**	Field ID	**Vblk76**
Date Acquired	**28 Dec 98 9:59 am**	Sample Multiplier	**1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID: **Vblk76**

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4149 SDG No _____ Location UST

Matrix (soil/water) WATER Lab Sample ID: Vblk76

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02437.D

Level: (low/med) LOW Date Received: 12/18/98

% Moisture: not dec. _____ Date Analyzed: 12/28/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

000017

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam	**vb02450.d**	Sample Name	**4148.01**
Operator	**Skelton**	Field ID	**Trip Blank**
Date Acquired	**28 Dec 98 8:25 pm**	Sample Multiplier	**1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID: **Trip Blank**

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4148 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 4148.01

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02450.D

Level: (low/med) LOW Date Received: 12/18/98

% Moisture: not dec. _____ Date Analyzed: 12/28/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam	**vb02457.d**	Sample Name	**4148.13**
Operator	**Skelton**	Field ID	**Field Blank**
Date Acquired	**29 Dec 98 1:41 am**	Sample Multiplier	**1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID: **Field Blank**

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4148 SDG No _____ Location UST

Matrix (soil/water) WATER Lab Sample ID: 4148.13

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02457.D

Level: (low/med) LOW Date Received: 12/18/98

% Moisture: not dec. _____ Date Analyzed: 12/29/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam	**vb02458.d**	Sample Name	**4149.01**
Operator	**Skelton**	Field ID	**Bldg2700**
Date Acquired	**29 Dec 98 2:25 am**	Sample Multiplier	**1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
E = Value above linear range
D = Value from dilution
PQL = Practical Quantitation Limit

MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID: **Bldg2700**

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4149 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 4149.01

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02458.D

Level: (low/med) LOW Date Received: 12/18/98

% Moisture: not dec. _____ Date Analyzed: 12/29/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

BASE NEUTRAL

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name	**BNA01737.D**	Sample Name	**Sblk185**
Operator	**Skelton**	Misc Info	**Sblk185 A 98122**
Date Acquired	**28 Dec 1998 10:05 pm**	Sample Multiplier	**1**

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL		Qualifier
110-86-1	Pyridine			not detected	NLE	2.52	ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64	ug/L	
62-53-3	Aniline			not detected	NLE	2.90	ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45	ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65	ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50	ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09	ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44	ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96	ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22	ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59	ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45	ug/L	
78-59-1	Isophorone			not detected	100	2.31	ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54	ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58	ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03	ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55	ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64	ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49	ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59	ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15	ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62	ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74	ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35	ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54	ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62	ug/L	
83-32-9	Acenaphthene			not detected	400	1.98	ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13	ug/L	
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L	
86-73-7	Fluorene			not detected	300	1.93	ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L	
120-12-7	Anthracene			not detected	2000	1.79	ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L	
206-44-0	Fluoranthene			not detected	300	1.85	ug/L	
92-87-5	Benzidine			not detected	50	4.11	ug/L	
129-00-0	Pyrene			not detected	200	1.02	ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L	
218-01-9	Chrysene			not detected	20	2.32	ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L	

* Higher of PQL's and Ground Water Criteria as per NJAC 7:9-

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

PQL = Practical Quantitation Limit

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID

TENTATIVELY IDENTIFIED COMPOUNDS

Sblk185

Lab Name: FMETL Lab Code 13461

Project 980211 Case No.: 4149 Location 2700 SDG No.:

Matrix: (soil/water) WATER Lab Sample ID: Sblk185

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01737.D

Level: (low/med) LOW Date Received: 12/18/98

% Moisture: decanted: (Y/N) N Date Extracted: 12/21/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/28/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name	bna01745.d	Sample Name	4148.13
Operator	Skelton	Misc Info	Field Blank
Date Acquired	29 Dec 1998 3:41 am	Sample Multiplier	1

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
78-59-1	Isophorone			not detected	100	2.31 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22 ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68 ug/L	
86-73-7	Fluorene			not detected	300	1.93 ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53 ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70 ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73 ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92 ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54 ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88 ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67 ug/L	
120-12-7	Anthracene			not detected	2000	1.79 ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83 ug/L	
206-44-0	Fluoranthene			not detected	300	1.85 ug/L	
92-87-5	Benzidine			not detected	50	4.11 ug/L	
129-00-0	Pyrene			not detected	200	1.02 ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15 ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57 ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28 ug/L	
218-01-9	Chrysene			not detected	20	2.32 ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate	24.48	2575404	27.53 ug/L	30	1.29 ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30 ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31 ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57 ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36 ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22 ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12 ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13 ug/L	

* Higher of PQL's and Ground Water Criteria as per NJAC 7:9-

Qualifiers

E = Value exceeded linear range
D = Value from dilution
B = Compound in related blank
PQL = Practical Quantitation Limit
MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1F

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID

TENTATIVELY IDENTIFIED COMPOUNDS

Field Blank

Lab Name: FMETL Lab Code 13461

Project 980211 Case No.: 4148 Location 74 SDG No.:

Matrix: (soil/water) WATER Lab Sample ID: 4148.13

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01745.D

Level: (low/med) LOW Date Received: 12/18/98

% Moisture: decanted: (Y/N) N Date Extracted: 12/21/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/29/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name	**BNA01746.D**	Sample Name	**4149.01**
Operator	**Skelton**	Misc Info	**Bldg2700**
Date Acquired	**29 Dec 1998 4:23 am**	Sample Multiplier	**1**

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL		Qualifier
110-86-1	Pyridine			not detected	NLE	2.52	ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64	ug/L	
62-53-3	Aniline			not detected	NLE	2.90	ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45	ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65	ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50	ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09	ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44	ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96	ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22	ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59	ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45	ug/L	
78-59-1	Isophorone			not detected	100	2.31	ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54	ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58	ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03	ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55	ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64	ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49	ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59	ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15	ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62	ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74	ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35	ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54	ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62	ug/L	
83-32-9	Acenaphthene			not detected	400	1.98	ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13	ug/L	
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L	
86-73-7	Fluorene			not detected	300	1.93	ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L	
120-12-7	Anthracene			not detected	2000	1.79	ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L	
206-44-0	Fluoranthene			not detected	300	1.85	ug/L	
92-87-5	Benzidine			not detected	50	4.11	ug/L	
129-00-0	Pyrene			not detected	200	1.02	ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L	
218-01-9	Chrysene			not detected	20	2.32	ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L	

* Higher of PQL's and Ground Water Criteria as per NJAC 7:9-

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

PQL = Practical Quantitation Limit

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID

TENTATIVELY IDENTIFIED COMPOUNDS

Bldg2700

Lab Name: FMETL Lab Code 13461

Project 980211 Case No.: 4149 Location 2700 SDG No.:

Matrix: (soil/water) WATER Lab Sample ID: 4149.01

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01746.D

Level: (low/med) LOW Date Received: 12/18/98

% Moisture: decanted: (Y/N) N Date Extracted: 12/21/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/29/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

1. **Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted** ✓
2. **Table of Contents submitted** ✓
3. **Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted** ✓
4. **Document paginated and legible** ✓
5. **Chain of Custody submitted** ✓
6. **Samples submitted to lab within 48 hours of sample collection** ✓
7. **Methodology Summary submitted** ✓
8. **Laboratory Chronicle and Holding Time Check submitted** ✓
9. **Results submitted on a dry weight basis** ✓
10. **Method Detection Limits submitted** ✓
11. **Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP** ✓

Laboratory Manager or Environmental Consultant's Signature _____

Date 2/5/99

Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW-846 for Solid Waste Analysis. I have personally examined the information contained in this report and to the best of my knowledge, I believe that the submitted information is true, accurate, complete and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



Daniel K. Wright
Laboratory Manager



Bldg. 2700 Meyer Center UST Ground Water Sample GPS Location Map

US State Plane 1983
New Jersey (NY East) 2900
NAD 1983 (Conus)

N

Scale 1:200
0 25.00
US Survey Feet

r011319a2700gw.cor
2/9/2000
Pathfinder Office
Trimble

BLDG. 2700 MEYER CENTER UST GROUND WATER SAMPLE GPS POSITION & COORDINATES

US STATE PLANE 1983 NJ (NY EAST) 2900 NAD 1983 (CONUS)

(IN US SURVEY FEET)

SAMPLE POINTS

POSITION / DESC.	Y COORD. (NORTHING)	X COORD. (EASTING)
2700 GW (GW denotes Ground Water)	532878.01	607299.259

REFERENCE POINTS

POSITION / DESC.	Y COORD. (NORTHING)	X COORD. (EASTING)
LIGHT POST	532825.726	607297.064
HYDRANT	532900.643	607261.014

GPS SAMPLE LOCATION MAP(BLDG.2700)

US STATE PLANE 1983 NJ(NY EAST) 2900 NAD 1983 (CONUS)

(IN US SURVEY FEET)

SAMPLE POINT

POSITION/DESC.	Y COORD.(NORTHING)	X COORD.(EASTING)
1	532905.064	607301.616
2	532892.716	607324.548
3	532864.496	607337.652
4	532831.988	607322.280
5	532847.360	607295.820
6	532875.580	607282.968
PS-1	532888.180	607370.660
PS-2	532883.644	607358.312
PS-3	532879.612	607347.732